

Long Life Bearings for Steel Rolling Mills

WTF® Bearings

NSK's newly developed Water TF (WTF®) bearings are the result of combining special steel-melting technology used for aircraft bearing material, and our original, heat treatment technology. Our WTF (water-tough) bearings successfully resist premature flaking under severely contaminated conditions of water-infiltrated grease lubrication and powder debris (iron-oxide) contamination. Furthermore, our WTF bearings have a bearing life that is three times longer than our conventional bearings.



**A new product that responds to customer needs
for longer life in harsh environments.**

Using NSK technology, we created WTF bearings to overcome premature flaking that results from conditions of water-infiltrated grease lubrication and powder debris or particulate contamination. WTF bearings achieve a service life three times longer under severe operating conditions.

WTF® Bearings

Three Times Longer Life



Water-TF

1. Technology

Premature flaking is initiated by dents that are generated on bearing rolling surface areas, which are caused by particulate contamination. When the bearings are operated under such conditions with water-infiltrated grease lubrication, the strength of bearing steel is significantly weakened. This ultimately leads to a phenomenon called corrosion fatigue (Photo 1). By combining material and heat treatment technologies into what NSK calls Water TF (water-tough) technology, we can drastically prevent the onset of corrosion fatigue.

NSK's Water TF technology includes many proprietary technologies that have been patented (below) with many more pending approval.

USP6165289, GB2311998, USP5256213, USP5298323, JP2128328, USP4904094, GB2209058

Cracks lead to flaking and ultimately corrosion fatigue




Photo 1. Water TF technology consists of an ultra-high clean-material technology for inhibiting the generation of cracks, and a chemical component design technology for restricting infiltration of water into any cracks that developed.

Nonmetallic inclusions (Photo 2) develop cracks below the bearing surface (Photo 3). Water in the grease lubricant infiltrates the cracks, and weakens the bearing material. Using a special steel-melting technology used for aircraft engine bearing material, we were able to restrict crack occurrence by reducing the amount of non-metallic inclusions in the raceway surface.




Photo 2. Non-metallic inclusion




Photo 3. Cracks develop from below the surface

In order to inhibit the initial development of cracks along grain boundaries, we worked to achieve stronger grain boundaries (Photo 4) by developing an optimum alloy balance for bearing material.



Photo 4. Cracks along grain boundary

NSK developed its Water TF technology by incorporating components of TF technology for enhanced service life under contaminated lubrication conditions.

Bearings used under contaminated lubrication conditions suffer from indentations that are generated on the raceways by foreign particles, which initiate surface originated flaking. Stress concentration points around the edges of the surface indentations create cracks around the indentations, which progress into larger cracks that lead to flaking. Contact stress concentrations at the edges of an indentation (Figure 2) can be expressed by $[P/P_0 \propto (r/c)^{-0.24}]$, which is a function of r/c . This suggests

that the larger the r/c , the smaller the stress concentration, which means an ultimately longer life. NSK's research on bearing material confirms that as the amount of retained austenite increases, the r/c value becomes larger, and the reduction of stress concentrations is enhanced. Our patented TF technology incorporates this principle for achieving longer life under contaminated lubrication conditions by maintaining optimum levels of retained austenite.

Figure 1. Relation between r/c value and levels of retained austenite









Figure 2. Stress concentrations at the edges of surface indentations [Y.P.chiu Trans-asme, Ser-F, (1970)]





2. WTF technology among other NSK long life technologies



3. Life of WTF bearings

Bearing life test results under contaminated lubrication conditions of grease, water, and fine iron powder simulating the market are described in Figure 3. Trial usage results of actual cold rolling mills are described in Figure 4. Both results show a bearing life three times longer than that of conventional bearings.



Worldwide Sales Offices

NSK LTD.-HEADQUARTERS, TOKYO, JAPAN www.nsk.com
 INDUSTRIAL MACHINERY BEARINGS DIVISION-HEADQUARTERS tel: 03-3779-7227
 AFTERMARKET BUSINESS DIVISION-HEADQUARTERS tel: 03-3779-8893
 AUTOMOTIVE BUSINESS DIVISION-HEADQUARTERS tel: 03-3779-7189
 PRECISION MACHINERY & PARTS DIVISION-HEADQUARTERS tel: 03-3779-7163

Africa
South Africa:
NSK SOUTH AFRICA (PTY) LTD.
 Johannesburg tel: 011-458-3600

Asia and Oceania
Australia:
NSK AUSTRALIA PTY. LTD. www.au.nsk.com
 Melbourne tel: 03-9764-8302

China:
NSK HONG KONG LTD.
 Hong Kong tel: 2739-9933
 Shenzhen tel: 0755-25904886

KUNSHAN NSK CO., LTD.
 Kunshan Plant tel: 0512-5771-5654
CHANGSHU NSK NEEDLE BEARING CO., LTD.
 Jiangsu Plant tel: 0512-5230-1111

NSK STEERING SYSTEMS DONGGUAN CO., LTD.
 Dongguan Plant tel: 0769-2262-0960
ZHANGJIAGANG NSK PRECISION MACHINERY CO., LTD.
 Jiangsu Plant tel: 0512-5867-6496

SUZHOU NSK BEARINGS CO., LTD.
 Jiangsu Plant tel: 0512-6665-5666
NSK CHINA TECHNOLOGY CENTER
 Jiangsu tel: 0512-5771-5654

NSK (SHANGHAI) TRADING CO., LTD.
 Shanghai tel: 021-6235-0198
NSK REPRESENTATIVE OFFICES www.nsk.com.cn
 Beijing tel: 010-6590-8161
 Guangzhou tel: 020-3786-4833
 Chengdu tel: 028-8661-4200

NSK (CHINA) INVESTMENT CO., LTD.
 Shanghai tel: 021-6235-0198
 Changchun tel: 0431-8898-8682

NSK CHINA SALES CO., LTD.
 Shanghai tel: 021-6235-0198
NSK-WARNER (SHANGHAI) CO., LTD.
 Plant tel: 021-3365-5757

AKS PRECISION BALL (HANGZHOU) CO., LTD.
 Plant tel: 0571-2280-1288

India:
RANE NSK STEERING SYSTEMS LTD.
 Chennai tel: 044-274-66002

NSK LTD. INDIA BLANCH OFFICE
 Chennai tel: 044-2446-6862
 Delhi tel: 0124-4104-530
 Kolkata tel: 033-4001-2062
 Mumbai tel: 022-2838-7787

NSK-ABC BEARINGS LTD.
 Chennai tel: 044-2466-6862

Indonesia:
PT. NSK BEARINGS MANUFACTURING INDONESIA
 Jakarta Plant tel: 021-898-0155

PT. NSK INDONESIA www.id.nsk.com
 Jakarta tel: 021-252-3458

Korea:
NSK KOREA CO., LTD. www.kr.nsk.com
 Seoul tel: 02-3287-0300
 Changwon Plant tel: 055-287-6001

Malaysia:
NSK BEARINGS (MALAYSIA) SDN BHD www.my.nsk.com
 Shah Alam tel: 03-7803-8859
NSK MICRO PRECISION (M) SDN. BHD. www.my.nsk.com
 Malaysia Plant tel: 03-8961-3960

New Zealand:
NSK NEW ZEALAND LTD. www.nsk-rhp.co.nz
 Auckland tel: 09-276-4992

Philippines:
NSK REPRESENTATIVE OFFICE
 Manila tel: 02-759-6246

Singapore:
NSK INTERNATIONAL (SINGAPORE) PTE LTD.
 Singapore tel: 6496-8000
NSK SINGAPORE (PRIVATE) LTD. www.nsk-singapore.com.sg
 Singapore tel: 6496-8000

Taiwan:
TAIWAN NSK PRECISION CO., LTD.
 Taipei tel: 02-2509-3305
TAIWAN NSK TECHNOLOGY CO., LTD.
 Taipei tel: 02-2509-3305

Thailand:
NSK BEARINGS (THAILAND) CO., LTD.
 Bangkok tel: 02641-2150
NSK BEARINGS MANUFACTURING (THAILAND) CO., LTD.
 Chonburi tel: 038-454-010

SIAM NSK STEERING SYSTEMS CO., LTD.
 Chachoengsao tel: 038-522-343
NSK ASIA PACIFIC TECHNOLOGY CENTER (THAILAND) CO., LTD.
 Chonburi tel: 038-454-631

Vietnam:
NSK VIETNAM CO., LTD.
 Hanoi tel: 04-955-0159

NSK REPRESENTATIVE OFFICE
 Ho Chi Minh City tel: 08-822-7907

Europe
NSK EUROPE LTD. (EUROPEAN HEADQUARTERS) www.eu.nsk.com
 Maidenhead tel: 01628-509-800

France:
NSK FRANCE S.A.S
 Paris tel: 01-30-57-39-39

Germany:
NSK DEUTSCHLAND GMBH
 Düsseldorf tel: 02102-4810

NSK PRECISION EUROPE GMBH
 Düsseldorf tel: 02102-4810

NEUWEG FERTIGUNG GMBH
 Munderkingen Plant tel: 07393-540

Italy:
NSK ITALIA S.P.A.
 Milano tel: 0299-5191

INDUSTRIA CUSCINETTI S.P.A.
 Torino Plant tel: 011-982-4811

Netherlands:
NSK EUROPEAN DISTRIBUTION CENTRE B.V.
 Tilburg tel: 013-4647647

Poland:
NSK EUROPE LTD. WARSAW LIAISON OFFICE
 Warsaw tel: 022-645-1525
NSK BEARINGS POLSKA S.A.
 Kielce Plant tel: 041-366-5001

NSK EUROPEAN TECHNOLOGY CENTER, POLAND OFFICE
 Kielce tel: 041-366-5812
NSK STEERING SYSTEMS EUROPE (POLSKA) SP. ZO.O.
 Walbrzych tel: 074-664-4101

Spain:
NSK SPAIN S.A.
 Barcelona tel: 093-433-5775

Turkey:
NSK RÜMLANLARI ORTA DOĞU TIC. LTD. STI.
 Istanbul tel: 0216-355-0398

United Kingdom:
NSK BEARINGS EUROPE LTD.
 Peterlee Plant tel: 0191-586-6111
NSK EUROPEAN TECHNOLOGY CENTRE
 Newark tel: 01636-605-123

NSK UK Ltd.
 Newark tel: 01636-605-123
NSK PRECISION UK LTD.
 Newark tel: 01636-605-123

NSK STEERING SYSTEMS EUROPE LTD.
 Maidenhead tel: 01628-509-800

North and South America
NSK AMERICAS, INC. (AMERICAN HEADQUARTERS)
 Ann Arbor tel: 734-913-7500

Argentina:
NSK ARGENTINA SRL
 Buenos Aires tel: 11-4704-5100

Brazil:
NSK BRASIL LTDA. www.br.nsk.com
 São Paulo tel: 011-3269-4786

Canada:
NSK CANADA INC. www.ca.nsk.com
 Toronto tel: 905-890-0740

Mexico:
NSK RODAMIENTOS MEXICANA, S.A. DE C.V. www.mx.nsk.com
 Mexico City tel: 55-5390-4312

United States of America:
NSK CORPORATION www.us.nsk.com
 Ann Arbor tel: 734-913-7500
NSK AMERICAN TECHNOLOGY CENTER
 Ann Arbor tel: 734-913-7500

NSK PRECISION AMERICA, INC. www.npa.nsk.com
 Franklin tel: 317-738-5000
NSK STEERING SYSTEMS AMERICA, INC. www.nssa.nsk.com
 Bennington tel: 802-442-5448
NSK LATIN AMERICA, INC. www.la.nsk.com
 Miami tel: 305-477-0605

NSK Ltd. has a basic policy not to export any products or technology designated as controlled items by export-related laws. When exporting the products in this brochure, the laws of the exporting country must be observed. Specifications are subject to change without notice and without any obligation on the part of the manufacturer. Every care has been taken to ensure the accuracy of the data contained in this brochure, but no liability can be accepted for any loss or damage suffered through errors or omissions. We will gratefully acknowledge any additions or corrections.

For more information about NSK products, please contact: _____



Printed on 100% recycled paper.